	Type	L #	Hits	Search Text	DBs
1	_	L1	269		US-
	BRS			399/9.ccls.	PGPUB;
	,				USPAT
					US-
2	BRS	L2	411	399/75,76,77.ccls.	PGPUB;
					USPAT
3	BRS		397	2 not 1	US-
		L3			PGPUB;
					USPAT
					US-
4	BRS	L4	139	399/38.ccls.	PGPUB;
					USPAT
		-	<del> </del>		US-
5	BRS	L5	129	4 not (1 or 2)	PGPUB;
<u> </u>	D.C.S	ПЭ			USPAT
6	BRS	T.6	927	259/1 1 gg]g	US-
	DKO	L6		358/1.1.ccls.	PGPUB;
<b></b>					USPAT
7	BRS	T 77	925	6 not (1 or 2 or 4)	US-
	פאם	L7			PGPUB;
					USPAT
	BRS	L8	801	358/500,501.ccls.	US-
8					PGPUB;
					USPAT
	BRS	L9	784	8 not (1 or 2 or 4 or 6)	US-
9					PGPUB;
					USPAT
	BRS	L10	1182	358/400,401.ccls.	US-
10					PGPUB;
					USPAT
	BRS	L11	1101	10 not (1 or 2 or 4 or 6 or 8)	US-
11					PGPUB;
					USPAT
	BRS	L12	1624	358/296.ccls.	US-
12					PGPUB;
					USPAT
	BRS	L13	1386	12 not (1 or 2 or 4 or 6 or 8 or 10)	US-
13					PGPUB;
					USPAT
14	BRS	L14	i		US-
					PGPUB;
					USPAT
15	BRS	L15	1/4 14/1	"A/D" or (analog\$2 near2 digital\$2)	US-
					PGPUB;
					USPAT

	Type	L #	Hits	Search Text	DBs
16	BRS	L16	254325	<pre>(master\$3 or main\$2 or primar\$3) near3 (device\$1 or control\$4)</pre>	US- PGPUB; USPAT
17	BRS	L17	30783	serial\$2 near2 bus\$2	US- PGPUB; USPAT
18	BRS	L18	486	14 with 15	US- PGPUB; USPAT
19	BRS	L19	233	14 same 16 same 17	US- PGPUB; USPAT
20	BRS	L20	4	18 and 19	US- PGPUB; USPAT
21	BRS	L21	3915	14 same 16 same bus\$2	US- PGPUB; USPAT
22	BRS	L22	3911	21 not 20 <sub>.</sub>	US- PGPUB; USPAT
23	BRS	L23	13	22 and "399"/\$3.ccls.	US- PGPUB; USPAT
24	BRS	L24	79	21 and 18	US- PGPUB; USPAT
25	BRS	L25	75	24 not (20 or 23)	US- PGPUB; USPAT
26	BRS	L26	936	14 and 15 and 16 and 17	US- PGPUB; USPAT
27	BRS	L27	2	26 and "399"/\$3.ccls.	US- PGPUB; USPAT
28	BRS	L28	934	26 not 27	US- PGPUB; USPAT
29	BRS	L29	9	28 and "358"/\$6.ccls.	US- PGPUB; USPAT
30	BRS	L30	10951	\$2C adj1 bus\$2	US- PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
31	BRS	L31	1149	I\$1C adj1 bus\$2	US- PGPUB; USPAT
32	BRS	L32	458	17 and 31	US- PGPUB; USPAT
33	BRS	L33	97155	g03g015/00.ipc. or g03g021/00.ipc.	EPO; JPO
34	BRS	L34	30045	(slave\$2 or secondar\$3 or auxiliar\$3) near3 (device\$1 or control\$4)	EPO; JPO
35	BRS	L35	88585	(master\$3 or main\$2 or primar\$3) near3 (device\$1 or control\$4)	EPO; JPO
36	BRS	L36	7210	34 and 35	EPO; JPO
37	BRS	L37	100292	bus\$2	EPO; JPO
38	BRS	L38	536	36 and 37	EPO; JPO
39	BRS	L39	63069	"A/D" or (analog\$2 near2 digital\$2)	EPO; JPO
40	BRS	L4 0.	4	38 and 39	EPO; JPO
41	BRS	L41	532	38 not 40	EPO; JPO
42	BRS	L42	1	41 and 33	EPO; JPO
43	BRS	L43	531	41 not 42	EPO; JPO